

Cal•Flor

accessory systems

ColorSealant

MATERIAL SAFETY DATA SHEET (EEC)

1. PRODUCT NAME

Unika ColorSealant

2. COMPOSITION

Product Description - Acrylic dispersions and fillers plus additives

Haz Ingredients - NONE

3. HAZARD IDENTIFICATION

None

FIRST AID

General Advice: In case of doubt or with persisting symptoms, obtain medical attention. Never pass anything through the mouth of an unconscious person.

Skin Contact: Remove contaminated clothing. Wash skin with soap and water. Do not use solvents or thinners.

Eyes: Irrigate with eyewash solution or clean water holding the eyelids apart for at least 10 minutes. Obtain medical attention.

Inhalation: Remove patient from exposure. Keep warm and at rest.

Ingestion: DO NOT INDUCE VOMITING. Wash out mouth with water and seek medical advice.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Recommended - Water jet, foam, powder, CO2.

6. ACCIDENTAL RELEASE MEASURES

Caution: Spillages may be slippery.

Follow protective measures as in chapters 7 and 8.

Absorb spillages onto sand, earth or any suitable absorbent material and transfer to a container for disposal. (Chapter 13)

Do not allow to enter drains, sewers or watercourses.

ColorSealant

MATERIAL SAFETY DATA SHEET (EEC)

page 2 of 3

7. HANDLING AND STORAGE

Handling: Keep containers dry and closed.

Keep away from foodstuffs. Wash hands thoroughly before breaks and at the end of the working day. Observe the usual protective measures for manipulation of chemical substances. See chapter 8 for personal protection.

Storage: Store in a cool and well ventilated place in the original containers.

Storage temperature: Between 5°C and 25°C.

8. EXPOSURE CONTROL - PERSONAL PROTECTION

Technical safety measures - no specific measures required.

Occupational exposure limits

Ingredient - NONE

Personal Protective Equipment

Protection of the respirator system - Not required

Protection of the hands - Not required

Protection of the eyes - Not required

Protection of the skin - Not required

Wash hands before breaks and at the end of the working day.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Paste

Color Various, according to pigmentation

Odor Neutral

Flash point Not applicable

Viscosity Thixotropic paste

Density ca. 1.51 g/cm³

Vapor density 25 mbar at 20°C

Explosion limits Not applicable

Solubility in water Part soluble

pH ca 8.5

10. STABILITY AND REACTIVITY

When stored and handled in accordance with Chapter 7, the product is stable.

Hazardous reactions - NONE

Hazardous decomposition products - NONE

11. TOXICOLOGICAL INFORMATION

No information on the product itself is available. Many years of experience with ColorSealant have not shown any dangers to health if used properly and under the usual industrial hygiene, nor have any indications of damages for health been presented to us.

ColorSealant

MATERIAL SAFETY DATA SHEET (EEC)

page 3 of 3

12. ECOLOGICAL INFORMATION

No information on the product itself is available.
Do not allow to enter drains, sewers or watercourses.

13. DISPOSAL CONSIDERATIONS

Do not discharge into drains or the environment. Dispose of at an authorized waste collection point. Dispose according to local regulations.

14. TRANSPORT INFORMATION

Sea Transport ICAO None
IMDGn/a NOT CLASSIFIED AS HAZARDOUS
Marine Pollutant No
Shipping Name Sealant Road/Rail
ADR/RID No labels required

Air Transport
IATA Class Primary

15. REGULATORY INFORMATION

Labelling in accordance with directive 88/379/EEC
Symbols - none
Risk phrases - none
Safety phrases - none

16. OTHER INFORMATION

The information in this MSDS is based on the knowledge at the issue date and in accordance with UK law and EEC regulations. Without written instructions for use, the product may not be used for purposes other than those specified in Chapter 1. The information in this sheet is meant as a description of safety measures for this product. It is not meant as a warranty for quality regarding the technical specs.

This information in this MSDS is prepared in accordance with EEC directives 91/155 EEC and 88/379/EEC.

